



201 S. Cook Street - Contributing

At this location is a two-story rectangular commercial building with Italianate influence that dates to 1873, according to the sign on the building. The main (W) façade has a central recessed entrance with paired multi-light glass and wood doors with a segmental arched multi-light transom and flanked by glass and wood display windows framed by Tuscan columns. At the second story above the entrance is a span of three eight-over-eight wood sash windows. Above the center window is a multi-light arched transom. The display windows have a bracketed cornice. On the side elevation there are no first floor windows but on the second floor there are one-over-one wood sash windows. The building has an aluminum siding exterior.

Attached at the rear is another commercial building with a poured concrete foundation and an entrance on the building's north elevation. This building also has a false roofline with a stepped parapet and brackets. The entrance is a recessed ca. 1980 nine-light glass and wood door. Above the door is a rectangular multi-light arched transom. The entrance is flanked by display windows set in a wooden frame with milled posts and a bracketed cornice. A pedestrian entrance at the far rear of the north elevation has a ca. 1980 nine-light glass and wood door. On the rear of the south elevation is a two-story frame wing.



205 S. Cook Street - Contributing

At this location is a two-story, frame, cross-gable front Colonial Revival-influenced building constructed in 1899. The building has a ca. 1990 foundation, a gable roof of asphalt shingles, and an exterior of weatherboard siding. The main façade was altered ca. 1990 with the removal of the original porch and the addition of a new frame staircase. The main entrance has a replacement door and windows are one-over-one rectangular wood sash added ca. 1990. On the main façade is an original bay window and windows have original frame cornices. In the gable field on the main façade is a Palladian window. At the eaves are gable returns.



207-09 S. Cook Street - Contributing

At this location is a two-story, frame, Queen Anne style dwelling constructed ca. 1862 according to the sign on the building and currently used for commercial purposes. The building has a stone foundation, a hip and gable of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is a partial-width, hipped roof porch with milled wood posts and railings. A decorative wood valence has been added to the porch. The main entrance has an original glass and wood door with raised panels. A secondary entrance with an identical door leads to a small entry porch/stoop also on the west elevation. Windows are original, one-over-one double hung wood sash, some with rectangular stained glass transoms. The house has a large band of decorative shingles above the first floor windows and in the gable fields.

On the south elevation, the projecting gable bay has a cutaway bay window on the first floor. On the rear of the south elevation is a two-story, porch with milled wood posts. A portion of the first story of this porch is enclosed. The upper story has a simple wood board railing and an entrance that retains its original single-light glass and three wood door. The first floor, enclosed porch has a two-vertical light and wood panel door. At the basement level are three-light awning glass and wood windows.



210-212 S. Cook Street - Noncontributing

The original dwelling at this location was built ca. 1915. In the 1980s the building was extensively remodeled for commercial purposes and it no longer retains integrity of its original design.



219 S. Cook Street - Contributing (ARC Case 01-09)

Located at 219 S. Cook Street is a two-story, frame, gabled ell plan dwelling constructed ca. 1862 and extensively remodeled ca. 1920 and 1950. The dwelling has an exterior of asbestos shingle siding, a gable roof of asphalt shingles with gable returns, a continuous brick foundation covered with stucco and an interior central brick chimney. On the main (E) façade is an shed roof porch with an added second story. The lower façade of the porch has been enclosed with rectangular, two-over-two double hung wood sash windows. The upper façade of the porch has also been enclosed with two-over-two double hung wood sash windows. Both porches have an exterior of asbestos shingle siding. The main entrance has a ca. 1990, nine-light and cross-hatch wood door with original two-vertical-light glass and wood sidelights with a river rock stoop and wrought iron railings. Also on the main façade is a hipped roof projecting bay window with a central fixed light window flanked by one-over-one double hung wood sash windows and supported by an asbestos covered base. On the north façade is a two-story wood staircase. Windows are original, rectangular, two-over-two double hung wood sash with wood cornice surrounds and flanking wood plank shutters.

On the rear façade is an original shed roof wing which possibly was an original rear porch at one time. The wing has been partially enclosed and has two entrances beneath a shed roof porch supported by wrought iron posts, railings on a poured concrete floor. Also attached to the rear façade is an original single-story rear wing with an added second story. Windows in the addition are one-over-double hung metal sash windows and single-light fixed windows. A rear wood staircase leads to a second floor entrance with a shed roof canopy over a ca. 1985 glass and aluminum door.



The property retains its original cistern block in the south façade side yard and to the rear of the dwelling is an original single-bay garage with a front gable roof of asphalt shingles, an exterior of weatherboard siding, a ca. 1980 metal panel overhead door and vertical board in the gable field. **–Contributing**





220 S. Cook Street - Noncontributing

The building at 220 S. Cook Street was built in a gable front design ca. 1990.



222 S. Cook Street - Noncontributing

This gable front building may date from the 1880s, however, it was extensively remodeled or rebuilt into its present commercial form ca. 1990.



300 S. Cook Street - Contributing

This is a two-story cross-gabled Queen Anne style dwelling built ca. 1900. The dwelling has a continuous stone foundation, a gable roof of asphalt shingles, two interior brick chimneys and an exterior of vinyl siding. On the main façade (E) is a shed roof porch enclosed with vinyl siding and one-over-one double hung wood sash windows. The main entrance retains its original three-horizontal-light and two wood panel door flanked by one-over-one double hung sidelights. Above the door is a gable roof canopy supported by wood brackets. Windows are original, one-over-one double hung wood sash with some replacement six-over-six double hung vinyl sash. On the north façade is a two-story, chamfered bay with three, original windows. A Craftsman style five-over-one fixed-light glass and wood window is located in the gable field on the east façade. On the south façade is a ca. 1935, gable roof entry bay with an original, single-light glass and wood panel door above which is a gable roof wood canopy supported by wood brackets similar to one on the main entrance. Both entrances have wood stairs and wood railings.



Located to the rear of the dwelling is an original, one-story, frame, rebuilt two-bay garage with an exterior of vinyl siding, a hipped roof of asphalt shingles with skylights and two, metal panel overhead track doors.

- Contributing



305 S. Cook Street - Contributing

Located at 305 Cook Street is a two-story, gabled ell Folk Victorian dwelling built ca. 1880. The dwelling has gable roof of asphalt shingles, an exterior of vinyl siding and a continuous brick foundation. On the main (W) façade is partial-width, shed roof porch rebuilt ca. 1990 with a wood floor, milled wood posts, frieze, brackets and railings. The main entrance has a ca. 1990 glass and wood door with an aluminum and glass storm door. Windows are ca. 1990, six-over-one double hung wood sash. On the rear façade is a ca. 1990, large, two-story, gable roof addition with an exterior of weatherboard siding. On the south façade is an original, hipped roof side porch rebuilt ca. 1990 with milled wood posts, frieze, brackets and railings. A shed roof connects the two gable roof sections on the second floor.

Located to the rear of the dwelling is a ca. 1985, one-bay, frame garage with an exterior of vinyl siding, a side gable roof of asphalt shingles, a ca. 1990, nine-light glass and metal pedestrian door and a large, aluminum panel overhead track door. – **Noncontributing**





309 S. Cook Street - Contributing

This is a two-story gabled ell Italianate style dwelling built ca. 1880. The dwelling has an exterior of aluminum siding, a gable and hip roof of asphalt shingles, a continuous foundation of brick and a stone interior end chimney. On the main façade (W) is a partial-width, hipped roof porch with a wood floor, original milled wood columns, brackets, railings and a spindled frieze. The main entrance retains its original single-light glass and wood paneled door with an aluminum and glass storm door. Windows are original one-over-one double hung wood sash with wood surrounds and bracketed wood lentils. At the eaves are double modillion brackets and a wood cornice. On the main and south façades are identical bay windows each with a hipped roof beneath which are dentilled and double modillion bracketed cornice and three, original one-over-one double hung wood sash windows above inset wood panels and supported by a brick base. Also on the south façade is an original, hipped roof side porch with milled wood posts, a spindled frieze, brackets and railing. The south entrance retains its original, single-light glass and wood door. On the rear façade is a ca. 1980, two-story, frame addition with one-over-one double hung vinyl windows and an interior brick chimney.



Located to the rear of the dwelling is a ca. 1915, three-bay, rock-faced concrete block garage with a hipped roof of asphalt shingles, an original four wood panel pedestrian door and three, ca. 1990, two-light and wood panel overhead track doors.

- Contributing



312 S. Cook Street - Contributing

Originally the English Methodist Church constructed ca. 1872, this gable front, Gothic Revival building located at 312 S. Cook Street, is a two-story, frame building which was remodeled in 1931. The building was remodeled for use by the Masonic Lodge Lounsbury Lodge No. 751 A.F. and A.M. which was chartered in 1877. The building has an exterior of masonite siding, a front gable roof of asphalt shingles, a continuous foundation of stone and a protruding tower on the northeast corner with a gable roof. On the main façade (E) is an entry with a steeply pitched, gable roof canopy with vergeboard and brackets, wrought iron railings and a poured concrete stoop. The main entrance has ca. 1980, six-panel, wood double doors with a gothic arched panel above the doors that encases an arched Masonic emblem cut in stone. Windows are ca. 1931, one-over-one double hung wood sash with original wood cornices. On the second floor of the north façade is a side entrance with a ca. 1980, solid wood door. At the eaves are plain soffit panels. A louvered metal vent is located in the gable field.

Located to the rear of the building is a ca. 1915, frame, one-story shed with an exterior of weatherboard, a front gable roof of asphalt shingles, a continuous stone foundation and a ca. 1970, hollow core wood door. – **Contributing**





315 S. Cook Street - Noncontributing

This is a one-story, frame, pyramid square plan dwelling built ca. 1945. The dwelling has an exterior of aluminum siding, a continuous poured concrete foundation, an interior central brick chimney and a hipped roof of asphalt shingles. On the main (W) façade is a partial-width, inset porch with a poured concrete stoop and wrought iron railing. The main entrance has an original solid wood door with an aluminum and glass storm door. Windows are two-over-two horizontal light double hung wood sash with wood surrounds. On the main façade is a large single-light picture window. On the south façade is a side entrance with a hipped roof canopy supported by wood brackets with an original solid wood door.

To the rear of the dwelling is an original, frame, one-bay garage with an exterior of weatherboard siding, a hipped roof of asphalt shingles and a continuous poured concrete foundation. On the main (W) façade are an original, six-wood panel pedestrian door and an original twelve-wood panel and four-light overhead track garage door. **Noncontributing**





316 S. Cook Street – Noncontributing

The original house sited on this parcel was demolished for a parking lot. The current dwelling and rear garage were built in 2003. The garage is also **Noncontributing**



319 S. Cook Street – Contributing (ARC Case 02-22)

At this location is a two-story, frame, gabled ell Folk dwelling built ca. 1862 according to the plaque on the house. The dwelling has a continuous rock-faced concrete block foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. The main façade has a ca. 1930, flat roof sun porch with a projecting gable over the entry, an original eight-light and single-wood panel door, three-light casement windows and a weatherboard skirt wall. The main entrance has an original, single-arched-light and two-panel door. Windows are ca. 1980, one-over-one double hung vinyl sash. Over the door and windows is original label molding with drop pendants. The projecting bay on the main façade has an original bay with a single-light fixed window flanked by two-over-two red tinted lights. The bay window is supported by scrolled brackets and has a pent roof. On the south façade is a flat roof bay window with three original, single-light fixed windows. On the rear façade is a ca. 1980, two and one-half-story, frame wing with one-over-one sash windows.

To the rear of the dwelling is a two-bay, frame, garage with a front gable roof of asphalt shingles, an exterior of vinyl siding two, ca. 1980, overhead metal panel track doors. A rectangular louvered vent is located in the gable field.


- Noncontributing





400 S. Cook Street - Contributing

Located at 400 S. Cook Street is a two-story, gabled ell Folk dwelling built in 1862 according to the marker on the house. The house has a rebuilt continuous brick foundation, original weatherboard siding, a ca. 1970 exterior wall brick chimney and a gable roof of asphalt shingles. On the main (E) façade is a partial-width shed roof porch added ca. 1980, with chamfered wood columns on wood piers and a railing with square wood balusters. The main entrance has a ca. 1900, single-light glass and wood door. Windows are original, six-over-six rectangular double hung wood sash with original wood cornice surrounds and flanking wood plank shutters. On the south façade is a ca. 1940, one-story, gable roof wing with six-over-six double hung wood sash windows. On the rear façade is an original, one-story, frame ell with six-over-six double hung wood sash windows.



Located to the rear of the dwelling is a ca. 1920, frame, garage/shed with a gable roof, shiplap siding and a vertical board wood panel sliding track door. In the gable field is a wood sunburst pattern.

- Contributing





401 S. Cook Street - Contributing

Located at 401 S. Cook Street is a two-story rectangular American Foursquare dwelling built ca. 1900. The house has a continuous stone foundation, a hipped roof of asphalt shingles and an exterior of aluminum siding. The main (W) façade has a full-width, gable roof porch with a small projecting gable over the entry stairs. The porch was rebuilt ca. 1985 with chamfered wood columns, a milled wood, cut-out railing and eave brackets. In the gable field of the porch are sawtooth vertical boards. The main entrance has a ca. 1925, multi-light glass and wood door. On the main façade is a large, fifteen-light fixed glass and wood window flanked by four-light casement windows. Over this window is an original dentilled cornice with corner blocks. Other windows in the dwelling are ca. 1960, nine-over-nine and six-over-six rectangular double hung wood sash windows with dentilled cornices and corner blocks and flanking wood louvered shutters on the main facade. On the south façade is a ca. 1960, two-story metal stair leading to an entrance added ca. 1960.

Off the southeast corner of the dwelling is a ca. 1970, frame garage with a hipped roof of asphalt shingles, an exterior of aluminum siding and a metal panel overhead track door. At the roof's peak apex is a louvered vent cupola with a metal finial.

– Noncontributing





406 S. Cook Street – Contributing (ARC Cases 02-13 and 03-11)

At this location is a two-story, frame, gabled ell Folk dwelling built ca. 1890 and remodeled in both the 1920s and then again ca. 1950. The dwelling has a rock-faced continuous concrete block foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (E) façade is a hipped roof entry vestibule with a ca. 1990, exterior, nine-light and two-panel glass and wood door. The main entrance has a ca. 1950, fifteen-light glass and wood door. The entry vestibule replaces an original, partial-width porch. Windows are ca. 1950, six-over-six rectangular double hung wood sash with flanking added louvered shutters on the main facade. On the rear façade is a single-story, frame addition constructed ca. 2003. Off south façade of this addition is a gable roof entry porch supported by square wood posts and a square wood baluster railing.



Located of the southwest corner of the dwelling is a two-bay, frame garage added in 2003 with metal panel overhead track doors and two, gable roof dormers with six-over-six vinyl sash double hung wood sash windows. – **Noncontributing**



407 S. Cook Street - Contributing

Located at 407 S. Cook Street is a two-story, frame, gabled ell Folk dwelling built ca. 1890. The house has a continuous rock-faced concrete foundation, a gable and hip roof of asphalt shingles and an exterior of vinyl siding. The main (W) façade has a ca. 1930, sun porch with one-over-one fixed windows, a frame skirt wall and a ca. 1990, single-light and aluminum storm door with two-over one glass and wood sidelights. The main entrance has an original, single-light and three-wood panel glass and wood door. Windows are original, one-over-one rectangular double hung wood sash with wood cornice surrounds with flanking wood shutters on the main facade. On the main and south façades are projecting, hipped roof bay windows with three, one-over-one double hung wood sash windows supported by fan brackets. At the roofline on the main façade is a gable roof dormer with a single-light, rectangular fixed light with an aluminum awning. On the rear façade is a frame porch with square wood posts, wood railings and a gazebo on the south façade.



At the rear is a frame one-story, two-bay garage built ca. 1920 with paired hinged doors, a side gable roof, a central metal flue and a wood pergola extending off the west facade. - **Contributing**



412 S. Cook Street - Contributing

At this location is a two-story rectangular American Foursquare style dwelling built ca. 1915. The house has a continuous concrete covered stone foundation, an interior brick chimney, a hipped roof of asphalt shingles and an exterior of vinyl siding. On the main (E) façade is a full-width, one-story, hipped roof porch with original Tuscan columns and a square wood baluster railing. The house was built with two main entrances; both located on the first floor with one leading to the second floor. The entrance to the first floor retains its original single-light and three-panel glass and wood door, while the entrance to the second floor has a ca. 1930, wood panel door. On the south façade is a ca. 1950, secondary entrance with a three-light glass and wood door. Windows are ca. 2003, one-over-one double hung vinyl sash with vinyl-clad surrounds. On the main and south facades are original bay windows with replacement one-over-one double hung vinyl sash windows. At the roofline of the main façade is a gabled wall dormer with a rectangular vent.



Located to the rear of the dwelling is a ca. 1970, frame, two-story garage with a hipped roof of asphalt shingles and overhead metal panel track doors.

– Noncontributing



413 S. Cook Street - Contributing

At this location is a two-story gabled ell Colonial Revival and Eastlake-influenced dwelling built ca. 1880. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main and south facades have a ca. 1920, gable roof wraparound sun porch with one-over-one fixed windows, a frame skirt wall and a single-light and three-wood panel door with a single-light enclosed transom above which is a projecting gable roof. The main entrance has an original, single-light and three-wood panel door. A secondary entrance on this façade has an original, wood panel door with a single-light transom. Windows are original one-over-one double hung wood sash with original, pedimented wood cornices and wood surrounds. On the north façade is a decorative diamond light window. In the gables are rectangular attic vents with pedimented wood cornices. On the south façade is a one-story, pent roof bay window with five, one-over-one double hung wood sash windows. The bay has fluted pilasters between the windows, a floral inscribed paneled cornice and an inset wood panel base.

To the rear of the dwelling is a ca. 1925, three-bay, rock-faced concrete block garage with a hipped roof, one-over-one double hung wood sash windows and two, gable roof dormers with a single-light window opening and s and original hinged glass and wood paneled garage doors.

- Contributing





417 S. Cook Street - Contributing

Located at 417 S. Cook Street is a one- and one-half-story, frame, gabled ell Folk dwelling built ca. 1890. The dwelling has a continuous stone foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. The main façade has a ca. 1925, hipped roof porch enclosed with square wood posts, a frame skirt wall and added wood screen door and screen panels. The main entrance has a ca. 1970, single-light glass and wood panel door. Windows are original, one-over-one double hung wood sash with wood cornice surrounds. On the south façade are On the rear is a one- and one-half story, original, gable roof wing off which is a similar screened porch and an entrance as the main façade with an original single-light glass and wood door on the south facade.





418 S. Cook Street - Contributing

Located at 418 S. Cook Street is a two-story gabled ell Folk Victorian dwelling with Italianate-influences built ca. 1875. The house has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. On the main (E) and south facades is an original, shed roof entry porch with original milled columns and square wood baluster railing. The main entrance has an original, glass and wood door. Windows are ca. 1980, one-over-one double hung wood sash with original, simple wood cornice surrounds with corner blocks and flanking added wood panel shutters. On the main façade is a ca. 1900, hipped roof bay window with three, one-over-one double hung wood sash windows, eave brackets, pellet molding and a base with wood inset panels. On the north façade is a ca. 1910, shed roof porch with original milled columns and railings. At the eaves are vergeboard panels with sawtooth valences. On the south façade is a one-story, hipped roof porch enclosed ca.

1960 for use as a sunroom with a set of five, one-over-one double hung wood sash windows. Also on the south façade are two, slightly projecting bays both with a pent roof and a paired set of windows beneath which is a wood inset panel. In the gable fields are one-light fixed windows with simple wood cornice surrounds with corner blocks and flanking shutters.





500 S. Cook Street – Contributing (ARC Case 05-14)

At this location is a two-story gabled ell Folk Victorian dwelling built ca. 1860 according to the plaque on the house. The house has a gable roof of asphalt shingles, an interior brick chimney, a stucco-covered concrete foundation and an exterior of weatherboard siding. On the main (E) façade is a partial-width, shed roof porch with ca. 1910, Ionic wood columns. The main entrance has a ca. 1910, single-light glass and wood door. Windows are ca. 1910, one-over-one rectangular double hung wood sash with simple wood cornice surrounds. In the projecting bay is an original two-light bay window with brackets, vergeboard molding and a pent roof of sawtooth fish scale and wood shingles. On the north façade is a ca. 1955, single-story, shed roof porch with a ca. 1910 single-light glass and wood door. In the gable field on the main façade is a rectangular, small louvered vent.



Located to the rear of the dwelling is a ca. 1930, single-bay, frame, hipped roof garage with an original five-wood panel pedestrian door, four-light fixed windows and a ca. 1985, four-sectioned eight-light and metal panel garage door. - **Contributing**





501 S. Cook Street – Contributing

At this location is a one-and one-half story, frame, gabled ell Folk dwelling built in 1889. The house was originally built in a gable front plan but was an extensively remodeled ca. 1950 with the addition of the existing porch, siding, windows and door, as well as, the one-and one-half-story south wing. The house has a continuous rock-faced concrete block foundation, a gable roof of asphalt shingles, an exterior wall brick chimney and an exterior of masonite siding. The main entrance has a single-light glass and wood door above which is a wood canopy supported by knee brace brackets. The gabled bay on the main façade has a twenty-light picture window flanked by four-over-four double hung wood sash windows. Other windows in the dwelling are six-over-six double hung wood sash with aluminum-clad surrounds. On the north façade is an entrance with a ca. 1950, glass and wood door.



To the rear of the dwelling is a ca. 1950, single-story, single-bay, frame garage with an exterior of masonite siding, a front gable roof of asphalt shingles and no visible door. – **Noncontributing**



505 S. Cook Street - Noncontributing

At this location is a ca. 1945, single-story, side-gabled frame dwelling with an addition. The dwelling has an exterior of aluminum siding, a gable roof of asphalt shingles and a concrete foundation. The house has an original paneled wood door, a pediment over the main entrance and original six-over-six wood sash windows. On the main façade an original porch was enclosed or removed and the projecting bay added ca. 1970.

To the rear of the dwelling is a ca. 1970 frame, one-bay garage with a hipped roof of asphalt shingle roof, an exterior of aluminum siding and an original overhead metal panel door.

Noncontributing





508 S. Cook Street - Contributing

Located at 508 S. Cook Street is a ca. 1905, two-story, frame American Foursquare with a continuous stone foundation, an interior brick chimney, a hipped roof of asphalt shingles and an exterior of weatherboard siding. On the main façade is an original, hipped roof porch with Tuscan wood columns and square wood baluster railings. The main entrance has an original single-light glass and wood door. Windows are original, one-over-one double hung wood sash with simple wood cornice surrounds. On the north façade is an original, two-story bay window with three, one-over-one double hung wood sash windows. On the south façade is an original, one-story bay window with three, one-over-one double hung wood sash windows with original single-light, transoms with original leaded glass. On the south façade is a secondary entrance with an original single-light glass and wood door. At the roofline are hipped roof dormers with single-light rectangular fixed windows.

Located off the southwest corner of the dwelling is a ca. 1970, single-bay, frame garage with an exterior of asbestos shingles siding, a front gable roof of asphalt shingles and an overhead metal panel track door.

– **Noncontributing**





515 S. Cook Street – Contributing

At this location is a one- and one-half-story, frame, gabled ell Folk dwelling built ca. 1880. The dwelling has a continuous stone foundation, a gable roof of asphalt shingles and an exterior of clapboard siding. On the main (W) façade is a ca. 1980, projecting gable roof porch with square wood posts and balusters. The main entrance has an original, single-light and wood panel door. Windows are both original one-over-one double hung wood sash and ca. 1980, one-over-one double hung vinyl sash with simple wood surrounds and canvas awnings on the main façade. On the south façade is a ca. 1980 projecting gable roof porch similar to the main façade. At the eaves are gable returns and a narrow rectangular louvered attic vent is in the gable fields on the main façade.

To the rear of the dwelling is a ca. 1980, single-bay, frame garage with a side gable roof of asphalt shingles, an exterior of clapboard siding and a metal panel overhead track door.

– Noncontributing





516 S. Cook Street - Contributing

Located at 516 S. Cook Street is a two-story rectangular American Foursquare dwelling constructed ca. 1910. The dwelling has a continuous rock-faced concrete block foundation, an interior brick chimney, a hipped roof of asphalt shingles and an exterior of weatherboard siding. The full-width, hipped roof porch has an original weatherboard skirt wall, square Doric-motif wood columns and added screen panels. The main entrance has an original single-light oval glass and wood door. Windows are original, one-over-one double hung wood sash with wood cornices. On the north façade is an original bay window with three, one-over-one double hung wood sash windows. At the roofline on the main façade is a hipped roof dormer with a triple set of single-light fixed windows. On the rear façade is an original, single-story wing.

Off the southwest corner of the dwelling is a ca. 1950, single-bay, frame garage with a front gable roof of asphalt shingles, an exterior of stucco, a three-horizontal-light and three-horizontal-wood panel pedestrian door and a ca. 1980, metal panel overhead track door.

- Noncontributing





517 S. Cook Street - Contributing

At this location is a two-story Craftsman dwelling built ca. 1930. Originally a gable front plan, the house has an addition, a continuous foundation of rock-faced concrete block, a gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. On the main façade is an arched recessed entry bay with a tapered wood post on a wood pier. The main entrance has an original three-light and wood panel door. Windows are ca. 1990, three-over-one vertical-light double hung vinyl-clad sash. In the gable fields are ca. 1990, fish scale shingles. On the north façade is a ca. 1990, shed roof dormer and on the main façade is a triangular dormer at the ridgeline and a gable roof wall dormer with a six-over-six double hung wood sash window and fish scale shingles in the gable field.

To the rear of the dwelling is a ca. 1990, frame, single-bay garage with an exterior of vinyl siding, a front gable roof of asphalt shingles, an overhead metal panel track door and a vinyl clad octagonal window in the gable field. - **Noncontributing**





522 S. Cook Street - Contributing

Located at 522 S. Cook Street is a one- and one-half story, frame, Dutch Colonial Revival-influenced dwelling built ca. 1910. The side-gabled plan has a front cross-gable. The dwelling has a stucco-covered continuous brick foundation, a gambrel roof of asphalt shingles with gable returns and an exterior of weatherboard siding. The main entrance has an original six-panel door with a ca. 1950, wood frame surround with Doric-pilasters and a wood cornice. Windows are original six-over-six and four-over-four double hung wood sash. In the gable field of the main façade are ca. 1980, ten-light casement windows with wood cornice surrounds and flanking louvered shutters. On the main façade is a ca. 1980 hipped roof bay window with a central paired set of four-over-four double hung wood sash windows flanked by four-over-four double hung wood sash windows on a tongue and groove wood panel base. On the rear façade is an original, single-story, gable roof wing with a fifteen-light glass and wood door.

Banked into the ground in front of the house is a ca. 1980, garage with wood lattice siding and an overhead metal panel track door.

– **Noncontributing**





523 S. Cook Street – Contributing (ARC Case 02-24)

At this location is a one-and one-half-story, frame Bungalow built ca. 1920. The bungalow has a continuous poured concrete foundation, a gable roof of hexagonal asphalt shingles, an exterior wall brick chimney and an exterior of vinyl siding. The main (W) façade has an original partial-width, projecting gable roof porch with tapered wood posts on tapered brick piers and a vinyl siding closed frame railing. The main entrance retains its original glass and wood door with an aluminum and glass storm door. Windows are original, one-over-one double hung Craftsman style with multi-paned upper lights. At the roofline on the main façade is a large, shed roof dormer with a wood shingle exterior and paired, single-light, Craftsman-style casement windows. At the eaves are knee brace brackets and exposed roof rafters on both the dwelling and dormers. At the basement level are original two-light awning windows. On the south façade are two original, projecting gable roof bays. On the rear façade is a ca. 2002, gable roof addition that connects the house to the garage.



At the rear is a one-and one-half-story, two-bay, frame garage with a side gable roof of hexagonal asphalt shingles, a wood shingled, gable roof dormer at the roofline and rebuilt glass and wood garage doors. A lateral addition on the south façade has a projecting bay on its south façade with a triple set of windows, a pent roof. In the gable field of the addition are wood shingles. – **Contributing**





528 S. Cook Street - Noncontributing

At this location is a ca. 1990, rectangular multi-gabled frame dwelling.



529 S. Cook Street - Contributing

Located 529 S. Cook Street is a one-and one-half-story gable front Craftsman dwelling built ca. 1915. The house has a continuous rock-faced concrete block foundation, a cross gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. On the main façade is an original, hipped roof sun porch with square wood columns, a frame skirt wall and one-over-one fixed glass and wood windows. The main entrance retains its original six-light and wood panel door. Windows are original, one-over-one double hung wood sash. At the eaves are knee brace brackets. On the north and south facades are gable roof dormers.

To the rear of the dwelling is an original, two-bay, frame garage with an exterior of weatherboard siding, a side gable roof of asphalt shingles and exposed roof rafters, a gable roof dormer at the roofline with a four-light fixed glass and wood window and wood panel overhead track doors. Knee brace brackets are in the eaves of both the dormer and the roofline.

- Contributing





534 S. Cook Street – Noncontributing (ARC Case 02-31)

At this location is a ca. 1990, frame, one- and one-half story gabled ell dwelling constructed ca. 1990.

Attached to the dwelling on the rear façade is a frame garage also **Noncontributing**.



535 S. Cook Street - Noncontributing

At this location is a ca. 1965, one-story, brick veneer dwelling with a one-story hipped roof garage of brick veneer, also **Noncontributing**.



539 S. Cook Street – Contributing (ARC Case 05-12)

Located at 539 S. Cook Street is a one-and one-half-story side-gabled Craftsman dwelling built ca. 1920. The house has a continuous concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of stucco. On the main (W) façade is a full-width, inset porch enclosed ca. 1970, for use as a sun room with original stucco-covered columns and closed railing, one-over-one double hung wood sash aluminum windows and a single-light aluminum and glass storm door. The main entrance retains its original, four-light glass and wood door. Adjacent to the door is an original diamond-light window and a one-over-one double hung wood sash window with a diamond-pattern upper sash. Other windows in the dwelling are original, three-over-one vertical-light double hung wood sash. At the eaves are knee brace brackets. At the roofline on the main façade is a gable roof dormer with a set of four, three-over-one vertical-light double hung wood sash windows and knee brace brackets.

To the rear of the dwelling is an original frame garage with a hipped roof of asphalt shingles, an exterior of stucco and a ca. 1970 roll-up metal door. At the roofline of the main façade is a elliptical window dormer. - **Contributing**





540 S. Cook Street – Contributing (ARC Case 03-20)

At this location is a gabled ell Folk dwelling built ca. 1910. The dwelling has a stuccoed concrete block foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. The main façade has a partial-width porch with ca. 1960 square wood balusters. The main entrance has a ca. 1960 paneled wood door. The windows are ca. 1980 four-over-one and one-over-one vinyl sash.

At the rear is a frame garage built in 2004. - **Noncontributing**





545 S. Cook Street - Contributing

At this location is a one-and one-half-story gabled ell Craftsman dwelling built ca. 1920. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of wood shingles. On the main (W) façade is an original, partial-width projecting gable roof porch with square wood shingled columns and a shingled skirt wall. The main entrance retains its original single-light Craftsman-style door. Windows are original, one-over-one double hung wood sash with wood surrounds. At the eaves are knee brace brackets. In the gable field of the porch is a triple set of single-light fixed windows with wood surrounds. The central light has been replaced with a louvered vent. On the main façade is a large picture window with a central one-over-one double hung wood sash window with flaking four-light fixed windows with wood surrounds.

To the rear of the dwelling is a ca. 1970, frame, single-bay garage with an exterior of wood shingles, a front gable roof of asphalt shingles and a metal panel overhead track door.

– Noncontributing





546 S. Cook Street - Contributing

Located at 546 Cook Street is a two-story rectangular American Foursquare constructed ca. 1905 with a continuous rock-faced concrete block foundation, a hipped roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (E) façade is a full-width, hipped roof porch with original milled columns, a wood floor, square wood baluster railings and a frieze with square spindles. The main entrance retains its original single-light glass and wood door with an aluminum and glass storm door. Windows are original, one-over-one double hung wood sash with wood cornices. Windows on the first floor of the main façade are fixed-light design with a leaded glass transom over the window on the north bay. On the south façade is an entrance with an original, single-light and three-wood -panel door. At the roofline on the main façade is a hipped roof dormer with two, single-light fixed windows.

To the rear of the dwelling is an original, frame, two-bay garage with a hipped roof of asphalt shingles with exposed roof rafters, an exterior of weatherboard siding and ca. 1980, metal panel overhead track doors. - **Contributing**





549 S. Cook Street - Contributing

Located at 549 Cook Street is a one-and one-half-story, gable front Folk dwelling built ca. 1905. The house has a continuous rock-faced concrete block foundation, a cross gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is a hipped roof porch enclosed ca. 1960 with weatherboard siding and a triple set of eight-light fixed windows and an octagonal window. Projecting from the center of the enclosed porch is a ca. 1980, projecting gable roof porch with square wood post, a wood baluster railing and a wood floor. The main entrance has a ca. 1960, glass and wood door with an aluminum and glass storm door. Windows are original, one-over-one double hung wood sash and one-over-one double hung vinyl sash. On the north and south facades are gable roof dormers with paired windows below which, on the south façade, is a projecting bay with a shed roof and a triple set of windows. On the rear façade is an original rear wing.

To the rear of the dwelling is a ca. 1960, frame, single-bay garage with an exterior of weatherboard siding, a side gable roof of asphalt shingles and an overhead metal panel track door. – **Noncontributing**





603 S. Cook Street - Noncontributing

At this location is an asymmetrical one-and one-half story Colonial Revival dwelling built ca. 1945. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an exterior wall brick chimney and an exterior of asbestos shingles. The main entrance has a recessed entry with engaged columns and a wood surround and an original glass and wood panel door with a leaded glass elliptical transom. Windows are original, six-over-six and six-over-nine double hung rectangular wood sash. The north bay of the first floor has a six-over-nine double hung wood sash window flanked by two-over-three glass and wood sidelights. At the eaves are gable returns. At the roofline on the main façade is a gable roof dormer with a six-over-six double hung wood sash window. On the south and north facades are gable roof wall dormers with original windows.

At the rear of the dwelling is an original, one-and one-half-story, frame, two-bay garage with an asbestos shingle exterior, overhead wood panel garage doors and a fifteen-light window with a wood cornice surround on the main façade. - **Noncontributing**





604 S. Cook Street - Noncontributing

At this location is a ca. 1978 one-story, gabled ell brick dwelling with an attached garage.



606 S. Cook Street - Noncontributing

At this location is a ca. 1980, one-and one-half-story side-gabled brick dwelling.



609 S. Cook Street – Contributing

Located at 609 Cook Street is a one-and one-half story, frame, gabled ell Folk dwelling built ca. 1910 and extensively rebuilt ca. 1970. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney, a vinyl-clad exterior end chimney and an exterior of vinyl siding. On the main façade is a partial width, hipped roof porch with milled columns and railing added ca. 1980. The main entrance has a ca. 1970, wood panel door. Windows are ca. 1970, one-over-one double hung wood sash with flanking louvered shutters. At the eaves is added vergeboard and gable returns. On the south façade is a ca. 1970, gable roof entry bay with milled wood columns and milled wood railings.

To the rear of the dwelling is a ca. 1970, frame, two-bay garage with metal panel overhead track doors, a side gable roof of asphalt shingles and skylights and an exterior of vinyl siding.

– Noncontributing





610 S. Cook Street - Contributing

At this location is a one-and one-half-story, gabled ell Folk dwelling built ca. 1900. The house has a gable roof of asphalt shingles, a continuous concrete block foundation and an exterior of weatherboard siding. The main (E) façade has a hipped roof porch with original milled columns and a ca. 1970, wrought iron railings. The two entrances on the main façade retain their original, single-light glass and wood doors. Windows are original, one-over-one double hung wood sash with wood cornice surrounds. On the south façade is a single-story, original wing with original windows.

To the rear of the dwelling is a ca. 1970, frame, hipped roof garage. – **Noncontributing**



614 S. Cook Street - Noncontributing

At this location is a ca. 1985, frame, two-story gabled ell dwelling with a vinyl sided exterior.



615 S. Cook Street – Noncontributing (ARC Case 04-01)

At this address is a ca. 1950, two-story, frame gabled ell dwelling with an exterior of vinyl siding and brick veneer with an incorporated garage. The dwelling has been drastically altered ca. 1970 from its original appearance.



618 S. Cook Street - Noncontributing

At this location is a ca. 1985, frame, one- and one-half story gabled ell dwelling with an incorporated two-bay garage, a brick driveway and gable roof dormers at the roofline.



619 S. Cook Street - Contributing

Located at 619 S. Cook Street is a one-and one-half story, frame, gable front Folk dwelling built ca. 1905. The house has a continuous poured concrete foundation, a cross gable roof of asphalt shingles, an interior brick chimney and an exterior of weatherboard siding. On the main (W) façade is a ca. 1980, hipped roof with a partial-width enclosed section containing the main entrance with a wood panel door. Windows are ca. 1980, one-over-one double hung vinyl sash with wood surrounds and flanking louvered shutters on the main facade. Also on the main façade is a large picture window with flanking shutters and added muntin bars to give a twenty-light fixed glass effect. On the south façade is a hipped roof bay window with three, one-over-one double hung vinyl sash windows. On the north and south facades are gable roof wall dormers with a paired set of windows. On the rear façade is an original, single-story wing and a one-story entry porch beneath the gable roof wall dormer with square wood post supports.



To the rear of the dwelling is a ca. 1980, frame, single-bay garage with a metal panel overhead track door, an exterior of vinyl siding, a hollow core wood pedestrian door and an exterior of weatherboard siding.

- Noncontributing



625 S. Cook Street - Noncontributing

At this location is a ca. 1960, frame, one-story, side-gabled Minimal Traditional style dwelling with a side gable roof, asbestos shingle siding and an attached single-bay garage on the south façade.



628 S. Cook Street - Contributing

Located at 628 S. Cook Street is a two-story, frame gabled ell Folk dwelling built ca. 1900. The dwelling has a continuous brick foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of vinyl siding. On the main (E) façade is a ca. 1990, hipped roof porch with a projecting gable over the wood stairs, square wood posts and railings. The main entrance retains its original, single-light glass and wood door. Windows are ca. 1990, one-over-one double hung vinyl sash with added muntin bars to give a six-over-six effect and vinyl clad wood cornice surrounds. A secondary entry on the main façade has a set of double French, fifteen-light doors and adjacent to the main entry door is a single-light fixed window on one side and a vinyl single-light fixed window with added muntin bars to give a sixteen-light effect. All windows and doors have a wood cornice surround with vinyl cladding. On the rear façade is a ca. 1930, single-story, shed roof addition with an screened in porch.



To the rear of the dwelling is a ca. 1990, frame, single-bay garage with an exterior of vinyl siding, a side gable roof of asphalt shingles, a glass and metal panel overhead track door and a shed roof dormer at the roofline of the main façade with a triple set of four-light fixed windows. – **Noncontributing**



631 S. Cook Street - Contributing

Located at 631 S. Cook Street is a two-story, frame, gable front Folk dwelling built ca. 1915. The house has a continuous brick foundation, a front gable roof of asphalt shingles, an interior brick chimney and an exterior of wood shingle siding. On the main (W) façade is a ca. 1980, projecting gable roof entry bay with a wood panel door, stone deck and wrought iron railings. Windows flanking the entry have been enclosed with wood panels. Windows on the main section of the house are six-over-six double hung wood sash with wood cornice surrounds. On the first floor of the main façade are paired, four-over-four double hung wood sash flanked by narrow, four-over-four double hung wood sash windows. On the south façade is a ca. 1950, single-story, gable roof wing with an exterior of wood shingles and an exterior wall brick chimney. In the gable fields are apex louvered attic vents.

To the rear of the dwelling is a ca. 1990, frame, single-bay garage with an exterior of wood shingle siding, a front gable roof and no visible door. - **Noncontributing**





634 S. Cook Street - Contributing

At this location is a two-story, frame, gable front Folk dwelling built ca. 1905. The dwelling has a continuous rock-faced concrete foundation, a gable roof of asphalt shingles and an exterior of weatherboard siding. The main (E) façade has a full-width, hipped roof porch with ca. 1990, milled wood columns and baluster railings and a wood floor. The main entrance has a ca. 1990, wood panel door. Windows are ca. 1990, vinyl clad sash in a one-over-one and six-over-six double hung design. A square louvered attic vent is located in the gable field.

To the rear of the dwelling is a ca. 1990, frame, two-bay garage with an exterior of weatherboard siding, overhead metal panel track doors, a front gable roof of asphalt shingles and a louvered vent in the gable field. - **Noncontributing**





635 S. Cook Street - Contributing

At this location is a two-story side-gabled Dutch Colonial Revival style dwelling built ca. 1935. The house has a poured concrete foundation, a gambrel roof of wood shingles, an interior and an exterior wall brick chimney and an exterior of aluminum siding. The main entrance has a ca. 1990, two-vertical-light glass and wood panel door with an original surround of Doric-motif pilasters and a dentilled cornice. Windows are original four-over-one double hung vertical-light sash. At the roofline of the main façade are two, shed roof wall dormers each with a single, four-over-one vertical-light double hung wood sash window and weatherboard siding. On the south façade is an original, shed roof, one-story addition with one-over-one vinyl clad windows.

To the rear of the dwelling is an original, single-bay, frame garage with a steeply pitched gable roof, an exterior of aluminum siding and a wood panel overhead track door. - **Contributing**





640 S. Cook Street - Contributing

Located at 640 S. Cook Street is a two-story side-gabled central hall plan Folk dwelling built ca. 1930. The house has a continuous rock-faced concrete block foundation, a gable roof of asphalt shingles, an interior and an exterior wall brick chimney and an exterior of vinyl siding. The main entrance retains its original four-vertical-light and wood panel door flanked by Doric pilasters and an enclosed sidelight. Above the entrance is an original, metal, pent roof. Windows are original, paired sets of one-over-one double hung wood sash with added shutters and wood cornice surrounds. At the roofline of the main façade is a gable roof wall dormer in the central bay with a louvered apex vent below which is a small, one-over-one, double hung wood sash window. At the main entrance are a ca. 1960, concrete deck and wrought iron railing.

At the rear of the dwelling is an original, frame, single-bay garage with a front gable roof of asphalt shingles, an exterior of weatherboard siding and a wood panel overhead track door.

- Contributing





643 S. Cook Street – Noncontributing (ARC Case 03-15)

At this location is a ca. 1990, two-story gabled ell dwelling.

To the rear of the house is a two-bay frame garage, also **Noncontributing**.



644 S. Cook Street - Contributing

Located at 644 S. Cook Street is a one-and one-half-story side-gabled Craftsman dwelling of ashlar-faced concrete block construction built ca. 1930. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles with exposed roof rafters and an exterior of ashlar-faced concrete block. The main entrance has a ca. 1980, fifteen-light glass and wood door with a wood surround. On the main façade are two, triple sets of original, three-over-one vertical-light double hung wood sash windows with wood surrounds. Remaining windows in the dwelling are original, three-over-one and one-over-one rectangular double hung wood sash with wood surrounds. The half-story has an exterior of original asphalt shingles. At the roofline on the main façade is a gable roof dormer with a decorative asphalt shingle exterior and a paired set of one-over-one wood double hung wood sash windows with wood surrounds. A recessed entry with a concrete lintel is located on the south façade.



To the rear of the dwelling is an original, concrete block garage with a front gable roof of asphalt shingles with exposed eave rafters and an overhead metal panel track door. - **Contributing**



647 S. Cook Street - Noncontributing

At this location is a one-story, frame, Minimal Traditional style dwelling built ca. 1945. The house has a continuous poured concrete foundation, a gable roof of asphalt shingles, an interior brick chimney and an exterior of aluminum siding. The main entrance retains its original, single-light and wood panel door and is set within a shed roof corner porch with a square wood post and a concrete floor. A metal awning extends over the windows the remaining enclosed portion beneath the shed roof on the main façade. Windows are original, two-over-two horizontal-light wood sash with wood surrounds and primarily in paired sets.

To the rear of the dwelling is an original, frame, single-bay garage with an exterior of aluminum siding, a front gable roof of asphalt shingle and an ca. 1980, overhead metal panel track door.

- Noncontributing





648 S. Cook Street - Contributing

Located at 648 S. Cook Street is a one-story, rectangular Craftsman dwelling built ca. 1930. The dwelling has a continuous rock-faced concrete block foundation, a hipped roof of asphalt shingles, an interior central brick chimney and an exterior of weatherboard. On the main (E) façade is an original, inset sun porch with weatherboard siding and original, four-over-one vertical-light double hung wood sash windows. The main entrance has a ca. 1980, fifteen-light glass and wood door with glass and wood sidelights, a concrete stoop and wrought iron railings. Windows are original, four-over-one vertical-light double hung wood sash with wood surrounds. On the north façade is a gable roof dormer with a paired set of original windows and weatherboard and rolled asphalt siding.

Located off the northwest corner of the dwelling is a one-bay, frame garage with an exterior of rock-faced concrete block, a gable roof of asphalt shingles with exposed roof rafters and an original overhead wood track door of four-section of six-lights over six inset wood panels.

- Noncontributing



Attached on the south façade of the garage is a single-story, front gable plan, rusticated, hollow-core concrete block dwelling built ca. 1930. The dwelling has a front gable roof of asphalt shingles, an interior brick flue and original, one-over-one double hung wood sash windows. The main entrance has a solid wood door. Located in the gable field is a single-light fixed window and vertical board siding. - **Contributing**



652 S. Cook Street - Noncontributing

This is a one-story, frame, rectangular plan, Minimal Traditional style dwelling built ca. 1950. The dwelling has a continuous poured concrete foundation, a hipped roof of asphalt shingles, an exterior of aluminum siding and an interior central brick chimney. On the main (E) façade is a partial-width, inset porch with a poured concrete floor and wrought iron rails. The main entrance retains its original single-light and three-wood panel door with a glass and aluminum storm door. Windows are original, one-over-one and two-over-two horizontal-sash double hung wood sash. On the main façade is a single-light picture window flanked by two-over-two horizontal-light double hung sash windows.



Located to the rear of the dwelling is a one-story, single-bay, frame garage built ca. 1955 with a side gable roof of asphalt shingles, a continuous poured concrete foundation, weatherboard siding, four-light fixed windows, a hollow-core wood pedestrian door and an original, twelve wood panel overhead track door. – **Noncontributing**